

Weatherization and Energy Conservation Catalog



NIAGARA
CONSERVATION®

C o n s e r v a t i o n T h r o u g h I n n o v a t i o n

Niagara Conservation

A Global Source for Energy and Water Conservation Products and Services

Niagara is a worldwide source for energy and water-saving products that conserve without sacrificing performance. We are committed to provide our customers with the highest quality products at the best possible prices.

Since 1977, Niagara Conservation has maintained its focus on products that reduce water and energy consumption as well as programs that help our customers and partners market energy efficiency. Our engineering and manufacturing expertise allows us to exceed customer expectations with our comprehensive line of water and energy conservation products.



Cedar Knolls, New Jersey



Fort Worth, Texas



Xiamen, China



Riyadh, Saudi Arabia

www.NiagaraConservation.com

Contents

Weatherization Products

Door Weatherstripping	3 – 8
Door Thresholds and Shoes	8-10
Window Kits and Covers	11

Caulks and Sealants

13 – 15

Lighting Products

Light Bulbs	17 – 20
Lighting Fixtures and Controls	21

Heating Accessories and Fire Safety

Eco-IQ™ Programmable Thermostat	23
Carbon Monoxide and Smoke Detectors	24
Water Heater Blankets	23
Pipe Insulation	23
Specialty Tapes	25

Energy Conservation Kits and Accessories

Greenhouse Energy EcoKits	27
Switch and Outlet Insulators	28
Night Lights	29
Accessories	30 – 31

Hot Water Conservation Products

Showerheads	33 – 34
Bath and Kitchen Aerators	35 – 38
Stealth™ 0.8 GPF Toilet	39 – 41

800.831.8383

Don't see what you're looking for? Call your Niagara representative to help source your solution.

WEATHERIZATION PRODUCTS

Increase energy efficiency in a home or business


Niagara Conservation offers a wide variety of products to help reduce energy, heating and cooling bills for homes and commercial buildings by sealing the bottom and sides of doors. Niagara's Door Weatherstripping line includes products specifically designed for all hot and cold climate extremes. They are designed for easy installation, and many feature slotted screw holes for easy adjustment. Sealing out drafts, dirt and rain with Niagara Door Weatherstripping will greatly increase the overall energy efficiency of your home or business!

Section Contents:



Door Weatherstripping

Pages 3-10



Door Thresholds and Shoes

Page 10



Window Kits and Covers

Pages 11



NIAGARA
CONSERVATION®

Call **800.831.8383** to place your orders.

N7225SFUSA



Professional Grade Aluminum Carrier with Santoprene™ Foam-Tite® Weatherstrip

- Made in USA
- Provides a sealing gasket that combines seamless Santoprene thermoplastic rubber (TPR) skin with closed-cell propylene
- Accommodates gaps up to 3/4"
- Notched/coped ends for tight seal and quick installation
- Excellent resistance to compression and UV radiation
- Water-resistant
- Also available in 80" and 96" lengths as well as other finishes and colors
- In hotter climates it will not stick to surfaces that have been painted and remains pliable even in extreme colder environments, -40°F to 160°F
- Slotted screw holes every 8" for easy installation and adjustment in any application
- Mounting hardware includes stainless steel screws that do not rust or corrode
- Gasket flap extends around carrier to ensure a tight seal around door frame

Product No.	Description	Details	Case Qty.
N7225SFUSA	Professional Grade Aluminum Carrier with Santoprene™ Foam-Tite® Weatherstrip – Gray	Includes instructions, screws, 36" header, two extruded and notched/ coped 84" side stops	25
N7225SFUSA-WHITE	Professional Grade Aluminum Carrier with Santoprene™ Foam-Tite® Weatherstrip – White	Includes instructions, screws, 36" header, two extruded and notched/ coped 84" side stops	25
N7225SFUSA-BROWN	Professional Grade Aluminum Carrier with Santoprene™ Foam-Tite® Weatherstrip – Brown	Includes instructions, screws, 36" header, two extruded and notched/ coped 84" side stops	25

N7225



Professional Grade Aluminum Carrier with Santoprene™ Bulb Door Weatherstrip

- Santoprene (pliable thermoplastic rubber) bulb sealing gasket remains pliable in sub-zero temperatures without cracking, outlasts vinyl bulb weatherstrip
- Requires no caulking
- Notched/coped ends for tight seal
- Extruded aluminum carrier has slotted holes every 8" for easy screw-on installation and adjustment
- Mounting hardware includes stainless steel screws that do not rust or corrode
- Gasket flap extends around carrier to ensure a tight seal around door frame

Product No.	Description	Details	Case Qty.
N7225	Professional Grade Aluminum Carrier with Santoprene™ Bulb Door Weatherstrip – Gray	Includes instructions, screws, two 84" notched side stops, one 36" header	25
N7225-WHITE	Professional Grade Aluminum Carrier with Santoprene™ Bulb Door Weatherstrip – Gray	Includes instructions, screws, two 84" notched side stops, one 36" header	25

Door Weatherstripping

N7040



Professional Grade Aluminum Carrier with Silicone Bulb Door Weatherstrip

- 100% silicone bulb remains pliable in all extreme temperature climates without cracking, outlasts vinyl bulb weatherstrip
- Extruded aluminum carrier has slotted holes every 8" for easy screw-on installation and adjustment
- Notched/coped ends for tight seal
- Mounting hardware includes stainless steel screws that do not rust or corrode
- Gasket flap extends around carrier to ensure a tight seal around door frame

Product No.	Description	Details	Case Qty.
N7040	Professional Grade Aluminum Carrier with 3/8" Silicone Bulb Door Weatherstrip – Gray	Includes stainless screws, two 84" notched side stops, one 36" header	25

N7226



Professional Grade Aluminum Carrier with Flap-Style Gasket Door Weatherstrip


- Features aluminum carrier with notched sides for better fit and trouble-free installation
- Extruded aluminum carrier has slotted holes every 8" for easy screw-on installation and adjustment
- Gasket stays durable and pliable at extremely low temperatures without cracking or shrinking
- "Trapezoid" sealing gasket flap can be more effective for **sealing larger gaps** than vinyl bulb or Poly Foam style products, but it is equally effective sealing smaller gaps
- Mounting hardware includes stainless steel screws that do not rust or corrode
- Gasket flap extends around carrier to ensure a tight seal around door frame

Product No.	Description	Details	Case Qty.
N7226	Professional Grade Aluminum Carrier with Flap-Style Gasket Door Weatherstrip – Gray	Includes screws, two 84" side stops, one 36" header	25


Foam Weatherstripping

Superior sealing gasket composed of an open-cell polyurethane foam and polyethylene liner which retains its original shape and seal even after years of repeated compression.

- Long-lasting foam sealing insert has outstanding tear resistance
- Polyethylene skin does not stick to surfaces
- Remains pliable from -40°F
- Ease of installation, exceptional draft sealing
- Manufactured with strict quality control
- Industry-leading resistance to compression memory
- Seals up to 1/2" gaps



Structured cells of Foam Weatherstrip ensure original shape retention over time



PVC Carrier with Foam Gasket

- Long-lasting PVC design allows for easy nail-on installation
- Combination PVC doorstop/ weatherstrip is easy to cut and won't absorb water, rot, warp or splinter like wood carrier weatherstripping
- Jamb-up sets are available in wide (1-3/8") or narrow (7/8") widths
- 84" legs coped for easy installation
- Meets ASTM, BSI, DIN and ISO standards

Product No.	Description	Details	Case Qty.
N7003PVC-C	1-3/8" wide PVC and Foam Door Set Weatherstrip – Coped – White	Two 84" coped side stops, one 36" header. 1-3/8" W x 3/8" D	25

Door Weatherstripping

N7003



Wood Carrier with Foam Gasket

- Finger-jointed, wood-primed nail-on doorstop
- Perfect for applications requiring paintable surfaces to match doorjambs
- Set available in wide (1-3/8") or narrow (7/8") widths

Product No.	Description	Details	Case Qty.
N7003	P1-3/8" wide Primed Wood FJ Bullnose and Foam Door Set Weatherstrip – White	Includes one 36" header and two 84" coped side stops. 1-3/8" W x 3/8" D.	12

C7000-F-WK



Foam Replacement Weatherstrip (used with Door Kerfs)

- Foam replacement doorjamb weatherstrip for pre-hung doors
- Fits easily into most door kerfs
- No fasteners required
- Superior sealing gasket retains its original shape and seal after years of repeated compression

Product No.	Description	Details	Case Qty.
C7000-F-WK	Foam Replacement Weatherstrip – White	84" Foam	150
C7000-F-GK	Foam Replacement Weatherstrip – Gray	84" Foam	150
C7000-F-BRK	Foam Replacement Weatherstrip – Brown	84" Foam	150

N7225F



Aluminum Carrier with "Ramp Up" Foam Gasket

- Replaceable foam doorjamb weatherstrip for pre-hung doors
- Increased tear resistant jacketing
- UV resistant jacketing
- Moisture resistant foam
- Accepts kerf sizes from: 0.110" thru 0.138"
- Superior sealing gasket retains its original shape and seal after years of repeated compression

Product No.	Description	Details	Case Qty.
N7225F	Foam Replacement Weatherstrip – Bronze	84" Foam	150

N8029




Pro-Flex V-Type Weatherstrip, Self-Stick

- Preformed adhesive-backed door and window V-type weatherstrip – 7' each, 1-3/8" W
- Exclusive Ice-O-Tac™ self-stick adhesive applies to windows and doors
- Pre-scored polypropylene offers outstanding conformability for positive airtight seal
- Affixes to nearly any clean surface
- Also available in 7/16" W

Product No.	Description	Details	Case Qty.
N8029	Pro-Flex V-Type Weatherstrip-White	7' section, 1-38" W	50

N8011N



Premium Door and Window Adhesive V-Type Weatherstrip

- Pre-scored polypropylene offers outstanding conformability to accommodate both large and small gaps
- Exclusive Ice-O-Tac™ adhesive
- Installs in minutes without special tools; just cut to size, fold and apply
- Premium adhesive remains applied to windows and doors for years

Product No.	Description	Details	Case Qty.
N8011N	Premium Door and Window Adhesive V-Type Weatherstrip	17' per roll	100
N9014N	Premium Door and Window Adhesive V-Type Weatherstrip	180' per roll	15

N8020B



Sub-Zero Door and Window EPDM Weatherstrip

- Made from ethylene/propylene closed-cell sponge rubber
- Long lasting, remains pliable up to -40°F, and will not harden, crack or freeze
- Easy to install
- Suitable for doors, windows and attic hatches
- High-tack, self-stick adhesive backing for superior seal
- 300-foot roll has (4) pre-scored strands at 75 ft. lengths

Product No.	Description	Details	Case Qty.
N8020B	Sub-Zero EPDM Weatherstrip	300' roll, 3/8" W, 1/4" H	1

Door Weatherstripping

N8001




Door and Window Closed-Cell Foam Weatherstrip

- Made of 100% PVC soft compression sponge foam with an aggressive pressure-sensitive acrylic adhesive
- Use to help seal out drafts, prevent heat loss and improve energy efficiency on doors, windows, attic hatches and around air conditioners
- Easy to install without special tools; just clean surface, cut to size, peel and stick
- Also available in a variety of popular sizes and colors
- Heavy-duty, 8-lb. density

Product No.	Description	Details	Case Qty.
N8001	Door and Window Closed-Cell Foam Weatherstrip – Gray	3/8" x 3/16" x 17"	100

N6000



Self-Stick Door Sweep

- Easy to install by both homeowners and professionals alike
- Exclusive Ice-O-Tac™ adhesive
- Just peel and stick! No tools necessary; cut to size, peel, position and affix
- Superior to other brands due to its long-lasting adhesive backing

Product No.	Description	Details	Case Qty.
N6000	Self-Stick Door Sweep – Clear	Includes one 36" W x 1-1/2" H Door Sweep	180

N6010



Standard Aluminum and Single-Flange Vinyl Door Sweep

- Medium-duty extruded aluminum carrier
- Pliable single vinyl sealing flap
- Slotted screw holes for easy installation and adjustment
- No caulking required
- Universal design permits interior or exterior installation on residential or commercial applications
- Mounting hardware included with stainless steel screws that do not rust or corrode
- Gasket flap extends around carrier to ensure a tight seal


Product No.	Description	Details	Case Qty.
N6010	Aluminum and Single-Flange Vinyl Door Sweep – Gray	Includes screws and one 36" W x 1-3/4" H Door Sweep	50



Professional Grade Aluminum and Triple-Flange Vinyl Door Sweep

- Triple vinyl flange for superior sealing
- 2-1/8" height is ideal for sealing uneven floors
- Mounting hardware includes stainless steel screws that do not rust or corrode
- Slotted screw holes for easy installation and adjustment on most residential or commercial doors
- Gasket flap extends around carrier to ensure a tight seal

Product No.	Description	Details	Case Qty.
N6040	Professional Grade Aluminum and Triple-Flange Vinyl Door Sweep – Gray	36" W x 2" H Door Sweep, includes screws	50
N6040-WHITE	Professional Grade Aluminum and Triple-Flange Vinyl Door Sweep – White	36" W x 2" H Door Sweep, includes screws	50
N6040-BROWN	Professional Grade Aluminum and Triple-Flange Vinyl Door Sweep – Brown	36" W x 2" H Door Sweep, includes screws	50



Door Thresholds and Shoes

N5031



Aluminum Thresholds

- Punched screw holes and easy-cut aluminum for easy installation
- Pliable base sealing gasket
- Available in a variety of sizes
- Heavy-duty thresholds made of premium-grade construction alloy
- Mounting hardware includes stainless steel screws that do not rust or corrode

Product No.	Description	Details	Case Qty.
N5030	Bumper Aluminum Threshold	2-1/2" x 3/4" x 36" Threshold, includes screws	12
N5031	Heavy-Duty Aluminum Threshold	3/4" x 3-1/2" x 36" Threshold, includes screws	25
N5073	Flat-Top Aluminum Threshold	1/4" x 3" x 36" Threshold, includes screws	24
N5078	Heavy-Duty Aluminum Threshold	5/8" x 3-1/2" x 36" Threshold, includes screws	25
N5079	Heavy-Duty Aluminum Threshold	1" x 4" x 36" Threshold, includes screws	24

N5070



Aluminum and Heavy Duty Vinyl Door Shoes

- Available in several widths with either "L" or "U" shape, and with or without drip cap
- Heavy-duty vinyl sealing gasket
- Slotted screw holes for easy installation and adjustment
- Meets all specifications in the USA and Canada
- Mounting hardware includes stainless steel screws that do not rust or corrode

Product No.	Description	Details	Case Qty.
N5060	36" U-Shape Door Shoe	1-3/8" with drip cap, includes screws	24
N5061	36" U-Shape Door Shoe	1-3/8" without drip cap, includes screws	24
N5068	36" L-Shape Door Shoe	1-1/4" with drip cap, includes screws	24
N5069	36" L-Shape Door Shoe	1-1/4" without drip cap, includes screws	24
N5070	36" U-Shape Door Shoe	1-1/4" with drip cap, includes screws	25
N5071	36" U-Shape Door Shoe	1-1/4" without drip cap, includes screws	25



Re-usable Storm Window Kit

- Easy-to-use, all-in-one re-usable kit contains heavy duty 3.5-mil superclear window film and self-stick snap-in PVC channels
- Ultra-violet inhibitors prevent yellowing
- Indoor and outdoor use
- Features interlocking male and female snap-in channels, can replace with screening during warm weather seasons
- An ideal, low-cost way to insulate and eliminate drafts in older windows to save energy and reduce heating and cooling costs while remaining airtight

Product No.	Description	Details	Case Qty.
N3020	Re-usable Storm Window Kit	38" x 64"	30
N3021	Re-usable Storm Window Kit	40" x 50"	25
N3022	Re-usable Storm Window Kit	50" x 80"	25
N3023	Re-usable Storm Window Kit	72" x 82"	20



Self-Stick Storm Window Channel

- Long-life PVC is UV stabilized with indestructible, instant adhesive
- Adhesive-backed, heavy-duty female-based channel with interlocking snap-in male channel
- "Sure-Grip" extra-wide T-top
- Indoor and outdoor use
- Channel can be used with screening materials during warm weather seasons


Product No.	Description	Details	Case Qty.
N3000MALE	Self-Stick Storm Window Channel	42" x 62"	450
N3000FEMALE	Self-Stick Storm Window Channel	62" x 210"	900



Shrink-Fit Window Pack

- Easy-to-use kit contains 0.75 gauge crystal clear plastic shrink film and ultra strong double sided tape
- Tape securely holds plastic in place, hair dryer shrinks film to form smooth, tight, clear-as-glass insulating storm window
- Cut film to size for application to multiple windows; less waste, less expense and a neater, more efficient installation
- N3031 can be applied to multiple windows
- Airtight seal on windows to help eliminate condensation, cold drafts and heat loss

Product No.	Description	Details	Case Qty.
N3030	Shrink-Fit Window Pack	42" x 62"	200
N3031	Shrink-Fit Window Pack	62" x 210"	100



Clear, Universal Glass Patch Poly Tape

- Excellent clarity
- 6-mil polyethylene tape with acrylic-based, pressure-sensitive adhesive
- Adheres to virtually any surface
- Ideal for repairing cracked or broken glass
- Indoor and outdoor use

Product No.	Description	Case Qty.
N4110	Clear, Universal Glass Patch Poly Tape	336

CAULKS AND SEALANTS

Professional grade products seal in savings

You can save 10% or more on a home's energy bills by stopping air leaks throughout the house. And wherever there's a leak, there's Niagara Caulk or Sealant to plug it. Among our choices are siliconized acrylic latex, 100% silicone, single and two-part foam sealants and more. Niagara offers products for interior and exterior use, plus sealants for specialized applications like masonry/concrete and duct sealing.

Section Contents:

Caulks

Pages 13-14

Sealants

Page 14-15

N2096R



40-Year Siliconized Acrylic Caulk

- Multi-purpose acrylic latex caulk with silicone (non-flammable)
- Premium-quality, all-purpose sealant for both interior and exterior applications
- Non-yellowing, with lowest shrink rate
- No air bubbles
- Paintable with latex and oil-based paints
- Meets or exceeds ASTM specifications – 834-10
- Preferred by contractors
- Water based for easy clean-up
- 40-year limited warranty

Product No.	Description	Case Qty.
N2096R	Niagara 40-Year Siliconized Acrylic Caulk – 10.1-oz. Cartridge – Clear	12
N2097R	Niagara 40-Year Siliconized Acrylic Caulk – 10.1-oz. Cartridge – White	12

N2063R-C



100% Silicone Sealant

- Long-lasting formula provides a tight, weather-resistant seal which adheres to glass, metal and ceramic surfaces
- Will not crack, shrink or peel
- Can be applied at temperatures -30°F to 140°F
- For interior/exterior use
- Solvent clean-up
- 50-year limited warranty
- Meets or exceeds ASTM C920, UASS25, Federal Specification TT-5-00154 Class A

Product No.	Description	Case Qty.
N2063R-C	100% Silicone Sealant – 10.1-oz. Cartridge – Clear	12
N2063R-W	100% Silicone Sealant – 10.1-oz. Cartridge – White	12

N2050R-W



Window Glazing Compound Sealant

- A compound for sealing cracking and sagging window seals to window sashes
- Provides a watertight and durable seal in the most extreme climates to wood, aluminum or other metal surfaces
- Smooth and easy to apply
- Comes in custom-designed square nozzle cartridges

Product No.	Description	Case Qty.
N2050R-W	Window Glazing Compound Sealant – 10.1-oz. Cartridge – Clear	12

Caulks and Sealants

N2081R



Masonry and Concrete Sealant

- Ideal for patching cracks and crevices in steps, patios and sidewalks, or repairing mortar between bricks, stone and cinder block
- Prevents water from freezing in cracks, further disintegrating aggregates
- Textured limestone-finish blends well with mortar with excellent outdoor durability
- Paintable, won't stain or bleed
- Application temperature range: 40°F to 110°F

Product No.	Description	Case Qty.
N2081R	Masonry & Concrete Sealant – 10.1-oz. Tube – Limestone	12

N2095



EZ Squeeze® Window and Door Caulk

- Requires no caulking gun, fits nicely in hard to reach places
- Provides extra-tight seal around doors, windows and molding
- Mildew-resistant
- For interior/exterior use
- Paintable
- Water clean-up
- Works well in custom designed Niagara energy efficiency kits

Product No.	Description	Case Qty.
N2095	EZ Squeeze® Window & Door Caulk – 5-oz. Tube – White	5

N2010



Press and Seal Rope Caulk

- An efficient, mess-free alternative to tube or cartridge caulking for draft sealing
- No caulking gun needed for application; easy tear-off, just peel and press
- Will remain pliable and not harden, even in extreme climates
- Asbestos-free
- 3/16" continuous bead roll
- Conforms well to all surfaces, creating a weathertight seal

Product No.	Description	Case Qty.
N2010	Rope Caulk – 30 feet (5 strands of 6 feet) – Gray	45
N2010-PB	Rope Caulk – 30 feet (5 strands of 6 feet) in Poly Bag – Gray	45

N2031R



Minimal Expanding Foam Sealant

- Moisture-cure, expansion-style polyurethane foam that expands to fill in large cracks, crevices and cavities
- For interior/exterior use
- For use around windows, doors, pipes, outlets, vents and foundations
- Prevents air and miscellaneous infiltration

Product No.	Description	Case Qty.
N2031R	Minimal Expanding Foam Sealant – 12 oz.	12

N2030-F



Triple-Expansion Foam & Fill

- Exerts less curling pressure
- Triple-expansion foam will seal and stop the passage of air, water, dust, fibers, insects and sound
- Will not warp window frames or door jambs
- Interior/exterior use
- Ideal for sealing areas too large to be sealed with a bead of caulk, such as openings through which pipes and wires pass
- Sealing large holes and cracks can help to reduce your heating and/or air conditioning costs

Product No.	Description	Case Qty.
N2030-F	Triple-Expansion Polyurethane Sealant – 12 oz.	12

P30181



Fireblock Polyurethane Foam Sealant

- ASTM E-84 Class 1
- Type V Residential Fireblock
- More effective than traditional fireblock materials at blocking flames and smoke
- Seals, bonds, insulates, fills and stops air infiltration
- Creates a rigid, closed cell barrier against draft, and noise
- More cost effective than standard fiberglass caulks
- 24 oz. can may replace up to 30 standard tubes of caulk

Product No.	Description	Case Qty.
P30181	Fireblock Polyurethane Foam Sealant – 24 oz.	12

N1001



Ratchet-Type Quick-Release Gun for Caulk and Sealant

- Holds a standard 10.1-oz. caulk or sealant cartridge
- Steel body is corrosion resistant with round drive-rod
- For all grades of caulks, sealants and adhesives from heavy to light consistencies

Product No.	Description	Case Qty.
N1001	Ratchet-Type Quick-Release Gun for Caulk and Sealant	12

N2016



Mastic Sealant

- Duct mastic for use in residential and commercial duct sealing applications
- Fiber-reinforced and fast-drying
- Rated for high-velocity HVAC systems including metal, fiberglass, duct board and flex duct
- Promotes energy conservation and energy efficiency

Product No.	Description	Case Qty.
N2016	Mastic Sealant – 1-gal. Tub – White	4

LIGHTING PRODUCTS

Bright Energy Savings Inside and Out

Niagara Conservation offers a wide selection of energy-saving interior and exterior lighting products with Energy Star® designation from the U.S. Department of Energy. Our EarthBrite™ Compact Fluorescent Light Bulbs (CFLs) deliver tremendous savings in energy costs. In fact, if just 25% of the incandescent bulbs in a home are replaced with fluorescents, the homeowner can save as much as 50% on their lighting bills. CFLs last 8-12 times longer, so they'll keep saving money long after the incandescent bulb has burned out.

Section Contents:



Light Bulbs

Pages 17-20



Lighting Fixtures and Controls

Page 21



NIAGARA
CONSERVATION®

Call 800.831.8383 to place your orders.

Light Bulbs

N13WMST2-2700



EarthBrite™ Mini Spiral Compact Fluorescent Light Bulbs (CFL)

- EarthBrite™ bulbs outlast traditional light bulbs by up to 12,000 hours
- Warm 2700K light; the closest to incandescent light
- Flicker-free, instant start
- Energy Star® listed miniature compact T2 fluorescent spiral bulb, uses up to 75% less energy than conventional incandescent bulbs
- Excellent color rendering, highest lumen output and light distribution

Product No.	Description	Hours	Watts	Equiv. Watts	Lum.	Energy Star® Listed	Case Qty.
N13WMST2-2700	EarthBrite™ Mini Spiral Compact Fluorescent Light Bulb	12,000	13	60	900	Yes	120
N13WMST-EC	EarthBrite™ Mini Spiral Compact Fluorescent Light Bulb (Contractor Pack)	12,000	13	60	900	Yes	96
N18WMST2-2700	EarthBrite™ Mini Spiral Compact Fluorescent Light Bulb	12,000	18	75	12,00	Yes	120
N23WMST2-2700	EarthBrite™ Mini Spiral Compact Fluorescent Light Bulb	12,000	23	100	16,00	Yes	120

N13WDIM-2700



EarthBrite™ Dimmable Mini Spiral Compact Fluorescent Light Bulbs (CFL)

- Light distribution similar to an incandescent bulb
- All dimmable mini spirals deliver an average of 10,000 lifetime hours
- Compatible with most dimmer switches
- Can be dimmed up to 75%
- Miniature compact T3 fluorescent spiral bulb
- Warm 2700K light; the closest to incandescent light

Product No.	Description	Hours	Watts	Equiv. Watts	Lum.	Energy Star® Listed	Case Qty.
N13WDIM- 2700	EarthBrite™ Dimmable Mini Spiral Compact Fluorescent Light Bulb	8,000	13	60	900	Yes	60
N18WDIM- 2700	EarthBrite™ Dimmable Mini Spiral Compact Fluorescent Light Bulb	8,000	18	75	12,50	Yes	60
N23WDIM- 2700	EarthBrite™ Dimmable Mini Fluorescent Light Bulb	8,000	23	100	16,00	Yes	60

NOTE Dimmable lamps must be operated on circuits where dimmer switch is installed on the black side (hot wire), and dimmer must be of approved manufacturer and operating at minimum manufacturer's specifications.

Light Bulbs

N14WR20-2700



EarthBrite™ Compact Fluorescent Flood Lights (Flood CFL)

- One-piece Compact Fluorescent Floods
- Color temperature: 2700K
- May be used in recessed ceiling cans, ceiling fixtures, track lights
- Similar in size and light output to standard incandescent flood lights
- Saves up to 70% on energy costs, while providing four times the lamp life

Product No.	Description	Hours	Watts	Equiv. Watts	Lum.	Energy Star® Listed	Case Qty.
N14WR20- 2700	EarthBrite™ Compact Fluorescent Flood Light	10,000	14	60	500	Yes	60
N16WR30- 2700	EarthBrite™ Compact Fluorescent Flood Light	10,000	16	75	750	Yes	60
N23WR40- 2700	EarthBrite™ Compact Fluorescent Flood Light	10,000	23	100	1300	Yes	60

N15WPAR30-3000



EarthBrite™ Compact Fluorescent Par Lamps

- Specifically designed to replace halogen Par lamps
- For use in residential, commercial and industrial applications
- Built-in optical — optimum Par glass reflection, rapid start, amalgam technology for high lumen output
- Color temperature: 3000K
- Nearly identical in size, shape and appearance to standard Par lamps
- Saves up to 70% on energy costs, while providing 4 times the lamp life
- Approved for damp or wet applications

Product No.	Description	Hours	Watts	Equiv. Watts	Lum.	Energy Star® Listed	Case Qty.
N15WPAR30-3000	EarthBrite™ Compact Fluorescent Par Lamp	10,000	15	Par 30, 60W	750	Yes	24
N23WPAR38-3000	EarthBrite™ Compact Fluorescent Par Lamp	10,000	23	Par 38, 100W	1,280	Yes	12

N9WG-2700



EarthBrite™ Compact Fluorescent Globe Lamps

- Available in low-profile sizes to fit a wide variety of fixtures
- Color temperature: 2700K
- Lightweight, generates minimal heat, lights instantly and provides excellent color rendition

Product No.	Description	Hours	Watts	Equiv. Watts	Lum.	Energy Star® Listed	Case Qty.
N9WG	EarthBrite™ Compact Fluorescent Globe Lamp	10,000	9	40	470	Yes	24
N14WG-27000	EarthBrite™ Compact Fluorescent Globe Lamp	10,000	14	60	800	Yes	24
N23WG-2700	EarthBrite™ Compact Fluorescent Globe Lamp	8,000	23	100	1,300	No	12

N14WCP-2700



EarthBrite™ Compact Fluorescent Capsule T-24

- Designed to replace fluorescent bulbs in many interior and exterior applications
- Saves up to 70% on energy costs compared to incandescent bulbs
- Available for special order in a variety of wattages and sizes
- May be used anywhere aesthetics are important, including table lamps, recessed ceiling fixtures, traditional floor lamps, waterproof exterior fixtures
- Color temperature: 2700K

Product No.	Description	Hours	Watts	Equiv. Watts	Lum.	Energy Star® Listed	Case Qty.
N14WCP- 2700	EarthBrite™ Compact Fluorescent Capsule T-24	10,000	14	60	800	No	24

Light Bulbs

N14WA-2700



EarthBrite™ Compact Fluorescent A-Type Lamps

- Medium-base A-type lamps with covers combine the look, style and shape of incandescent bulbs with the energy savings of a CFL
- Small ballast configuration will fit in most popular fixtures
- Ideal for homes, businesses, hospitals, restaurants and other applications where the look of a compact fluorescent spiral bulb just won't do
- Color temperature: 2700K

Product No.	Description	Hours	Watts	Equiv. Watts	Lum.	Energy Star® Listed	Case Qty.
N14WA-2700	EarthBrite™ Compact Fluorescent A-Type Lamp	10,000	14	60	800	Yes	60

N13WGU24-2700



EarthBrite™ GU24 Pin-Base Spring Lamps

- Flicker-free, instant start
- Warm 2700K light; the closest to incandescent light
- Excellent color rendering, highest lumen output and light distribution
- GU24 base – 2 pins
- Energy Star® listed miniature compact fluorescent spiral bulb uses up to 75% less energy than conventional incandescent bulbs

Product No.	Description	Hours	Watts	Equiv. Watts	Lum.	Energy Star® Listed	Case Qty.
N13WGU24-2700	GU24 Spring Lamp	10,000	13	60	900	Yes	60
N18WGU24-2700	GU24 Spring Lamp	10,000	18	75	1,200	Yes	60
N23WGU24-270	GU24 Spring Lamp	10,000	23	100	1,600	Yes	60

N9250-W



Occupancy Sensors

- Sensor control automatically turns light on when a person enters room and turns light off when they leave
- Utilizes passive infrared (PIR) sensing technology
- Single-pole or 3-way
- Offers convenience, lowers energy bills
- Adjustable time-delay interval (15 seconds to 15 minutes)
- Available in white or ivory with or without night light

Product No.	Description	Case Qty.
N9250-W	Occupancy Sensor – White	3
N9250-1	Occupancy Sensor – Ivory	3

N9251-W



Vacancy Sensors

- Manually turn lights “on” when entering room and sensor control will automatically turn light off when room is vacant
- Utilizes passive infrared (PIR) detection sensing technology
- Complies with California Title 24 residential lighting standards
- Single-pole or 3-way
- If there is motion in the room within 30 seconds of lights going off, the lights will go back on

Product No.	Description	Case Qty.
N9251-W	Vacancy Sensor – White	10
N9251-1	Vacancy Sensor – Ivory	10

HEATING ACCESSORIES & FIRE SAFETY

Keep a home cool in summer and warm in winter

Our new Eco-IQ™ Programmable Thermostat is programmed using the Energy Star® guidelines that can help keep a home cool in summer and warm in winter for so much less. Carbon Monoxide and Smoke Detectors help keep families safe from fire and dangerous CO leaks. Since water heating typically accounts for about 14% of a home's total utility bill, Niagara offers Water Heater Insulation Blankets and Pipe Insulation to help prevent radiant heat loss throughout the entire winter.



Section Contents:



Thermostats & Insulation

Page 23



Carbon Monoxide and Smoke Detectors

Page 24



Specialty Tapes

Page 25



NIAGARA
CONSERVATION®



Eco-IQ™ Programmable 5-2 Thermostat

- Unique **Digital Locking Feature** can be activated in order to eliminate unauthorized thermostat resets
- **Large liquid crystal display**
- 5-minute air conditioning compressor delay
- Temporary temperature override
- **Comes pre-programmed, easily reprogrammable**
- Total isolation between system power and thermostat
- Separate programs for heating and cooling
- Uses the same guidelines as Energy Star® for its program settings
- System or battery powered (two AA batteries included)
- Separate weekday and weekend programming with 30-day Vacation Mode
- Backlit keys and glow in the dark buttons
- Compatible with most 24V Gas, Oil and Electric Heating and Air Conditioning Systems, Single-Stage Heat Pumps, 2-Wire Hydronic Systems and Hydronic Air Handlers

Product No.	Description	Case Qty.
N9195	Eco-IQ™ Programmable Thermostat – White	24



Water Heater Insulation Blankets – R11

- Additional water heater insulation can reduce standby heat loss by 25%-45%, saving 4%-9% in water heating costs
- For use with gas, oil or electric water heaters
- Blanket has white vinyl outer layer and is from appliance grade fiberglass insulation
- Includes adhesive tape and instructions
- Meets and exceeds U.S. DOE standards
- Special-order available in varying thicknesses, lengths and R-values
- No formaldehyde

Product No.	Description	Details	Case Qty.
N1104S	Water Heater Insulation Blanket – R-11	3" x 48" x 75", w/ Top	4
N1102S	Water Heater Insulation Blanket – R-11	3" x 48" x 75", w/o Top	4
N1105S	Water Heater Insulation Blanket – R-11	3" x 48" x 87", w/ Top	4
N1103S	Water Heater Insulation Blanket – R-11	3" x 48" x 97", w/o Top	4
N4170	Water Heater Blanket Vinyl Tape – White	150 ft. roll x 3" W	15



Pipe Insulation and Wrap

- Clean-cut, pre-slit wrap for easy install
- For insulating hot water, non-steam pipes
- Helps prevent freezing, stops sweating, reduces heat loss
- Temperature range to 200°F
- Helps keep water hot in pipes to reduce "wait time" for hot water
- Polyethylene pipe insulation is a flexible smart memory foam
- ASTM E84 1" 25/50 and UL 181 Sections 11.0a16.0

Product No.	Description	Details	Case Qty.
EN9010	Pipe Insulation – Pre-slit	1/2" ID x 1/2" wall x 3' long	280
EN9011	Pipe Insulation – Pre-slit	3/4" ID x 1/2" wall x 3' long	200

Carbon Monoxide and Smoke Detectors

CO250B



Carbon Monoxide Detector with Alarm

- Easy to install; no wiring required
- Optochemical Sensor Technology is resistant to nuisance alarms, extends sensor life
- Provides fail-safe notification
- Tamper-resistant locking feature
- Easy-access test/reset button
- Red alarm LED
- Loud 85-decibel horn
- Battery-operated; 9V alkaline battery included
- Audible low-battery warning signal
- Mounting hardware included

Product No.	Description	Case Qty.
CO250B	Battery-Operated Carbon Monoxide Detector w/ Alarm	6

FG250B



Smoke and Fire Detector with Alarm

- Ionization sensor smoke alarm for reliability and fast response time
- Loud 85-decibel alarm
- Listed to UL 217 standard
- Battery-operated; heavy-duty 9V battery included
- Mounting hardware included
- Special-order other varieties (smoke & fire with carbon monoxide detector)

Product No.	Description	Case Qty.
FG250B	Battery-Operated Smoke & Fire Detector w/ Alarm	6

SC02B



Smoke and Fire Detector and Carbon Monoxide Detector with Alarm

- Ionization sensor smoke alarm for reliability and fast response time
- Loud 85-decibel alarm
- Listed to UL 217 standard
- Optochemical Sensor Technology is resistant to nuisance alarms, extends sensor life
- Easy-access test/reset button
- Battery-operated; heavy-duty 9V battery included
- Mounting hardware included
- Special-order other varieties (smoke & fire with carbon monoxide detector)

Product No.	Description	Case Qty.
SC02B	Smoke and Fire Detector and Carbon Monoxide Detector w/ Alarm	12

NOTE A wide variety of smoke and carbon monoxide detector configurations with various battery back-up options are available. Please contact your Niagara representative for details.

N4160



Masking Tape

- Efficient, fast solution for temporary sealing of heating and cooling registers
- Easily removable seal that will not leave a sticky residue
- Professional application meeting all duct sealing requirements
- Available in 2" and 4" widths

Product No.	Description	Details	Case Qty.
N4160	2" Masking Tape, Off-White	180 ft. roll x 2" W	24
N4161	4" Masking Tape, Off-White	180 ft. roll x 4" W	12

N4130



Professional Grade Duct Tape

- Polyethylene coated cloth duct tape
- High tack adhesive, seals well to most surfaces
- Effective in sealing sheet metal ducts as well as other general commercial applications
- Unrolls smooth with excellent long-life durability
- Available in rolls of 30 ft. lengths or 180 ft. lengths

Product No.	Description	Details	Case Qty.
N4130	2" Duct Tape, Silver	30 ft. roll x 2" W	54

N4150



Foil Cold Weather Tape for Duct Boards UL Listed 181


- Provides superior vapor seal on most surfaces, including fiberglass duct board
- Easily applied to sheet metal ducts, fibrous duct boards for all smooth and uneven surfaces
- Meets or exceeds Underwriters Laboratories (UL) specifications: UL 181A-P and UL 181B-FX
- Available in 2 1/2" and 3" widths

Product No.	Description	Details	Case Qty.
N4150	2 1/2" Foil Cold Weather Tape UL, Aluminum	180 ft. roll x 2 1/2" W	24
N4151	3" Foil Cold Weather Tape UL, Aluminum	180 ft. roll x 3" W	16

ENERGY CONSERVATION KITS & ACCESSORIES

Simple and effective ways to conserve resources

The **Niagara Conservation EcoKit™** selection provides a perfect way to implement conservation solutions throughout the home. Each EcoKit™ includes a variety of our top-selling, easy-to-install, energy-conserving products. They make for great promotional giveaways, employee incentives, and can also serve as educational tools to help children understand the importance of saving energy with simple but effective products. Niagara also offers EcoKit™ components individually; many available with custom logo printing for the personal touch to any organization.



Section Contents:



Energy Ecokits

Page 27



Accessories

Pages 28-31

**AWARD
WINNING**

Niagara Conservation Gas or Electric EcoKits are a perfect way to implement energy-saving, money-saving conservation solutions throughout the home. Niagara EcoKits can be used as housewarming gifts or educational materials to help children understand the importance of saving water and energy.

GYSEEK07



GYSGEK07



YBEEK08



Product No.	Description	Details	Annual Utility Bill Savings	Case Qty.
GYSEEK07	Electric EcoKit™ packaged in Green House box	<ul style="list-style-type: none"> • (3) CFL Light Bulbs (13-watt, 20-watt, 23-watt) • Lime Light Night Light • Draft Stopper Gaskets, (4) Switch Gaskets, (8) Outlet Gaskets • Refrigerator Thermometer • Air Filter Whistle • Energy Wheel 	Up to \$60	7
YSEEK07	Electric EcoKit™	• Same as GYSEEK07 (above) packaged in standard white box	Up to \$60	10
GYSGEK07	Gas EcoKit™ packaged in Green House box	<ul style="list-style-type: none"> • 1.0 and 1.5 GPM Bi-Max Showerhead • 1.5 GPM Dual Spray Kitchen Swivel Aerator • (2) 1.0 GPM Bathroom Aerators • (2) Shrink-Fit Window Kits • Draft Stopper Gaskets, (4) Switch Gaskets, (8) Outlet Gaskets • (2) 3/16" x 3/8" x 17" Foam Weatherstrips • Energy Wheel 	Up to \$200	7
YSGEK07	Gas EcoKit™	• Same as GYSGEK07 (above) packaged in standard white box	Up to \$200	10
YBEEK08	Basic Electric EcoKit™	<ul style="list-style-type: none"> • 13-watt (60W equivalent) CFL Light Bulb • Draft Stopper Gaskets, (4) Switch Gaskets, (8) Outlet Gaskets • Air Filter Whistle • Refrigerator Thermometer • Energy Wheel 	Up to \$20	12

Accessories

N4010V



Draft Sealers – Switch and Outlet Gaskets

- Packaged easy-to-install Switch and Outlet Sealers
- Helps to eliminate drafts, insulates and saves energy when used in exterior wall receptacles
- UL listed
- Higher R value, holds in heat and A/C
- Consumer pack contains 4 switch and 8 outlet gaskets
- Flameproof; low-density PVC will not burn in vertical or horizontal positions
- Special order available in GFI, Decora and Leviton

Product No.	Description	Case Qty.
N4010V	Switch Gasket – White	2,500
N4011V	Outlet Gasket – White	2,500
N4013V	Consumer Pack contains 4 Switch and 8 Outlet Gaskets – White	200

N4001



Outlet Cover with Pre-Installed Insulator Gasket

- Patent pending all-in-one plate cover and insulating backing in order to prevent exterior drafts
- Prevent unwanted air filtration by automatically sealing unoccupied outlets to conserve energy
- Childproof plug caps
- Easy to place in outlet when not in use
- Replaces conventional outlet plates
- Made of rigid plastic
- Easy to install, no special tools or skills needed
- Safety covers help to seal out drafts
- UL approved insulator gasket

Product No.	Description	Case Qty.
N4001	Outlet Cover with Pre-Installed Insulator Gasket – White	50

N4000



Draft Stoppers – Safety Caps

- Polypropylene outlet sealers
- Injury prevention for children by barring access to electric outlets
- Childproof and choke tested approved
- Easy to place in outlet when not in use
- Saves energy by helping reduce drafts through vacant receptacle outlets

Product No.	Description	Case Qty.
N4000	Safety Caps – Clear	1,000

N9210-A



Wall Plate Thermometers with Energy Saver Display

- Knowing the temperature in each room can help save energy
- Wall plate thermometers are easily retrofitted to replace existing wall plates in every room in the house
- **Save in the Zone area on display shows the most energy efficient range**
- Detachable display so you can measure the temperature in other rooms.
- Fits both standard toggle and rocker style switches
- Installs in minutes without wiring or batteries
- Insulates and stops drafts

Product No.	Description	Case Qty.
N9210-A	Wall Plate Thermometer with Energy Saver Display	240

N1202



Lime Light Night Light

- Uses only pennies worth of electricity per year
- 0.080-watt, 24 hours a day, 7 days a week
- Especially helpful where a 100,000-hour night light is needed to help consumers to safely and easily navigate in hallways and bedrooms
- 5-year guarantee
- Attractive plastic case in neutral color to complement any decor
- An energy-saving promotional item – great for giveaways, energy-saving kits, and utility and community action programs
- Custom logo printing available – ask your Niagara representative

Product No.	Description	Case Qty.
N1202	Lime Light Night Light	200

N9277




LED Night Light with Photo Cell – 0.3-Watt

- Light-Emitting Diode (LED) technology provides sufficient and energy-efficient light
- 0.3-watt photo cell adds to the efficiency of night light
- 5-year guarantee
- Attractive plastic case in neutral color to complement any decor
- Used in direct-mail programs across the United States, along with energy conservation kits by utilities and community action programs

Product No.	Description	Case Qty.
N9277	LED Night Light with Photo Cell – 0.3-watt	200

Accessories

N9189



Refrigerator/Freezer Thermometer Card

- Used to check temperature setting of refrigerator and freezer
- Adjusting temperature to recommended settings saves energy, can improve refrigerator/freezer efficiency by up to 8%
- Settings that are too cold waste electricity
- The correct temperature can save energy
- Settings that are too warm can ruin food and cause salmonella poisoning
- Adhesive-backed to mount virtually anywhere
- Custom logo printing available - ask your Niagara representative

Product No.	Description	Case Qty.
N9189	Refrigerator/Freezer Thermometer Card	1,000

N9181



Hot Water Temperature Card

- Shows the temperature of hot tap water, indicating the temperature of water inside water heater tank
- If the temperature is higher than 120°F, water heater is set too high
- Each 10° temperature reduction saves up to \$10 per year on energy costs
- Credit card size: 3-3/8" W x 2-1/2" H x .025" D
- Custom logo printing available – imprint area 1-3/4" W x 5/8" H – ask your Niagara representative
- The correct temperature can save energy

Product No.	Description	Case Qty.
N9181	Hot Water Temperature Card	1,000

N9173G



Refrigerator/Freezer Thermometer

- Accurately displays refrigerator/freezer temperature in both Fahrenheit and Celsius
- Adjusting temperature to recommended settings saves energy, can improve refrigerator/freezer efficiency by up to 8%
- Settings that are too cold waste electricity
- Settings that are too warm can ruin food and cause salmonella poisoning
- Hanging thermometer can be mounted virtually anywhere; includes hanging tab and magnetic strip
- The correct temperature can save energy

Product No.	Description	Case Qty.
N9173G	Bimetal Refrigerator/Freezer Thermometer	500

N5080



Door Pile Corner Pad

- White polypropylene pile with pressure-sensitive adhesive backing
- Pads are 1" W x 2" H
- Apply to corner of doorjamb on hinge side to seal against air and light infiltration
- For convenience, can easily be cut in two to fit all doorjamb requirements

Product No.	Description	Case Qty.
N5080	Door Pile Corner Pad – White	2,500

N9121



Energy- Saving Smart Surge Protector

Niagara's energy efficient surge protector has patented auto-switching technology that saves you money on electrical bills. The unique surge protector features 8 total outlets and 4 energy saving outlets that work in sync to efficiently power your electrical devices. This unique energy-saving surge protector automatically switches devices on and off and uses less than one watt of power when fully energized.

- 8 total outlets— 3 always on outlets, 4 energy saving outlets, and 1 master outlet
- 6 foot, 14 gauge power cord
- Electrical rating: 15A, 125V, 1875W, 60Hz
- Clamping Voltage: 400V
- Maximum Spike Voltage: 6000V
- Response Time: faster than 1 nanosecond
- EMI/RFI noise rejection: up to 20 db from 150 khz
- For indoor use only — Not intended for use with aquarium equipment

Product No.	Description	Case Qty.
N9121	Energy-Saving Smart Surge Protector	6

N9150K



Furnace Filter Whistle

- A clogged or dirty furnace filter can significantly increase heating and cooling bills
- Furnace Filter Whistle sounds when filter becomes dirty or clogged, alerting the homeowner that it is in need of replacement

Product No.	Description	Case Qty.
N9150K	Furnace Filter Whistle	900

N9117



Niagara Energy Wheel

- Provides helpful tips on ways to conserve energy in the home, saving money on heating and cooling costs
- Custom logo printing available – ask your Niagara representative

Product No.	Description	Case Qty.
N9117	Niagara Energy Wheel	500

Customization of Conservation Kits and accessories with your logo or message available; contact us for more details.

WATER CONSERVATION PRODUCTS

Water conservation through innovation

Niagara Conservation offers toilets, showerheads, and kitchen/bath aerators which greatly reduce a home's water consumption. At the same time, Niagara's showerheads and aerators reduce hot water consumption, which lowers gas or electric utility costs for heating water. Niagara's most dramatic water-saving product is the Stealth®...the world's first 0.8 gallon per flush toilet. Installed together, a Stealth toilet, water-saving showerhead and aerator could save 40,000 gallons of water per year, per household (according to Federal Energy Management Program guidelines).



Section Contents:



Showerheads

Pages 33-34



Aerators

Page 35-38



Toilets

Pages 39-40



NIAGARA
CONSERVATION®



N2515CH



Certified by
CSA International



Sava Spa Showerhead

- Large 4.5" diameter spray head allows for full body coverage when showering
- (44) nozzles with a powerful spray
- 360° adjustable swivel
- Rubber spray nozzles for easy cleaning
- Installs easily, by hand and without tools
- Patented pressure-compensating technology guarantees consistent flow of water regardless of available water pressure
- Corrosion-resistant high-impact ABS thermoplastic body, maintenance-free
- Meets or exceeds ANSI specifications
- 10-year warranty

Product No.	Description	Case Qty.
N2515CH	1.5 GPM Sava Fixed-Mount Showerhead, Chrome	40
N2515	1.5 GPM Sava Fixed-Mount Showerhead, White	40
N2517CH	1.75 GPM Sava Fixed-Mount Showerhead, Chrome	40
N2517	1.75 GPM Sava Fixed-Mount Showerhead, White	40



N2615CH



Certified by
CSA International



Tri-Max™ Showerhead

- Unique aerator utilizes three pressure-compensated flow rates: 0.5 GPM to soap and 1.0 or 1.5 GPM to rinse
- Even vacillating spray
- Patented pressure-compensating technology guarantees consistent flow of water regardless of available water pressure
- Corrosion resistant and lead-free, body and swivel ball-joint are made of a high-impact ABS thermoplastic
- Select your savings with three different flow rates
- Installs easily, by hand and without tools
- Meets or exceeds ANSI specifications
- 10-year warranty

Product No.	Description	Case Qty.
N2615CH	Tri-Max™ Fixed-Mount Showerhead – Chrome	100
N2615	Tri-Max™ Fixed-Mount Showerhead – White	100



N2610CH



Certified by
CSA International



Bi-Max Showerhead

- Unique showerhead utilizes three pressure-compensated flow rates: 1.0 GPM to soap or 1.5 GPM to rinse
- Meets or exceeds ANSI specifications
- Patented pressure-compensating technology guarantees consistent flow of water regardless of available water pressure
- Corrosion resistant and lead-free, body and swivel ball-joint are made of a high-impact ABS thermoplastic
- Select your savings with two different flow rates
- Installs easily, by hand and without tools
- Meets or exceeds ANSI specifications
- 10-year warranty

Product No.	Description	Case Qty.
N2610CH	Bi-Max Fixed-Mount Showerhead – Chrome	100
N2610	Bi-Max Fixed-Mount Showerhead – White	100

Showerheads

N2150



Luxury Spa Showerhead

- High-efficiency showerhead at 1.5 GPM
- High-velocity spray
- Adjustable angle
- Installs easily, by hand and without tools
- Meets or exceeds ANSI specifications
- Patented pressure-compensating technology guarantees consistent flow of water regardless of available water pressure
- All metal showerhead, chrome plated
- Tamperproof model available
- 10-year warranty

Product No.	Description	Case Qty.
N2150	Luxury Spa Fixed-Mount Showerhead – Chrome	50
N2150-TP	Luxury Spa Fixed-Mount Tamperproof Showerhead – Chrome	50

FIXED MOUNT



Earth® Showerhead

- Saves money by ensuring up to 75% lower water usage than traditional “low-flow” showerheads currently on the market
- Patented pressure-compensating technology guarantees a feeling of great force while using less water, consistent flow rate regardless of water pressure
- 9-jet power spray with three spray settings: needle, power and combination
- Non-aerating spray; less temperature loss with maximum energy savings
- Easy installation without tools
- Corrosion-resistant high-impact ABS thermoplastic body, maintenance-free
- Meets or exceeds ANSI specifications
- #1 high-efficiency showerhead choice amongst conservation professionals
- As seen in Better Homes & Gardens and Consumer Reports
- Installs easily, by hand and without tools
- Handheld includes 72-inch tangle-free high quality stainless steel hose & mounting bracket
- 10-year warranty

Product No.	Description	Case Qty.
Fixed Mount		
N2912CH	1.25 GPM Earth® Showerhead – Chrome	50
N2912	1.25 GPM Earth® Showerhead – White	50
N2915CH	1.5 GPM Earth® Showerhead – Chrome	50
N2915N	1.5 GPM Earth® Showerhead – White	50
N2915-V	1.5 GPM Earth® Showerhead – with Soak and Soap® Valve, White	50
N2917CH	1.75 GPM Earth® Showerhead – Chrome	50
N2917	1.75 GPM Earth® Showerhead – White	50
N2920CH	2.0 GPM Earth® Showerhead – Chrome	50
N2920	2.0 GPM Earth® Showerhead – White	50
N2920-V	2.0 GPM Earth® Showerhead – with Soak and Soap® Valve, White	50
Handheld		
N2945CH	1.5 GPM Earth® Handheld Showerhead – Chrome	12
N2935CH	2.0 GPM Earth® Handheld Showerhead – Chrome	12
N2935	2.0 GPM Earth® Handheld Showerhead – White with 59" white nylon reinforced PVC hose	12

HANDHELD



Call **800.831.8383** to place your orders.

N3115VP-FC



Dual-Spray Kitchen Swivel Aerator with Tip-Touch Control Valve

- Variable, dual-setting kitchen aerator with swivel and pause valve feature
- Rubberized grip for easy adjustment
- Tip-touch control valve allows pause and "on" without resetting water flow or temperature
- Saves 30% more water and energy than a standard aerator
- Powerful 1.5 GPM flow means less water used without sacrificing performance
- Patented pressure compensator gives consistent flow regardless of pressure
- Switch from a splash-free needle spray to a soft bubble stream with an up/down action
- Brass dual threads for easy installation, 15/16" x 27 threads inside and 55/64" x 27 threads outside
- Compliant to California Health and Safety Code 116875 and Vermont Bill S.152 for low lead content
- 10-year warranty

Product No.	Description	Case Qty.
N315VP-FC	1.5 GPM Chrome & White/Black with Valve Control	200

N3126VP-C



Dual-Spray Kitchen Swivel Aerator

- Variable, dual-setting kitchen aerator with 360° swivel
- Available with Tip-touch control valve which allows pause and "on" without resetting water flow or temperature
- Switch from a splash-free needle spray to a soft bubble stream with a twisting action Patented pressure compensator gives consistent flow regardless of pressure
- Brass dual threads for easy installation, 15/16" x 27 threads inside and 55/64" x 27 threads outside
- Powerful 1.5 GPM flow means less water used without sacrificing performance
- Housing constructed of durable ABS plastic with high-polish chrome finish. Does not contain any unplated brass parts
- Soft rubber nozzles for easy cleaning and decalcification
- Compliant to California Health and Safety Code 116875 and Vermont Bill S.152 for low lead content
- 10-year warranty

Product No.	Description	Case Qty.
N3126VP-C	1.5 Dual-Spray Aerator with pause valve – Chrome	200
N3126P-C	1.5 Dual-Spray Aerator – Chrome	200

Aerators

N3610CH



Tri-Max™ Dual-Thread Aerator

- Unique aerator utilizes three pressure-compensated flow rates: 0.5 GPM to soap and 1.0 or 1.5 GPM to rinse
- Patented Flex-Flow™ pressure compensating technology. Guarantees a consistent flow of water regardless of pressure and selected flow rate
- Installs easily, by hand and without tools
- Stylish, modern fits most faucets
- Dual-thread system accommodating both male and female applications, with 15/16" x 27 threads inside and 55/64" x 27 threads outside
- Includes install key. Non-stripping POM threaded inserts are removable to hide threads when installing with female connections
- 10-year warranty

Product No.	Description	Case Qty.
N3610CH	Tri-Max™ Dual-Thread Aerator, Chrome Needle Spray	100
N3610B-CH	Tri-Max™ Dual-Thread Aerator, Chrome Bubble Spray	200

N3615CH



Tri-Max™ Dual-Thread Aerator

- Unique aerator utilizes three pressure-compensated flow rates: 0.5 GPM to soap and 1.0 or 1.5 GPM to rinse
- Patented Flex-Flow™ pressure compensating technology. Guarantees a consistent flow of water regardless of pressure and selected flow rate
- Dual-thread system accommodating both male and female applications, with 15/16" x 27 threads inside and 55/64" x 27 threads outside
- Installs easily, by hand and without tools
- Connects with most faucets
- 10-year warranty

Product No.	Description	Case Qty.
N3615CH	Tri-Max™ Dual-Thread Aerator, Chrome/Black Needle Spray	200

N3601N-PC



Lead-Free Aerators

- Aerator body constructed entirely of ABS poly, completely lead-free for safe drinking water
- Dual-thread system accommodating both male and female applications, with 15/16" x 27 threads inside and 55/64" x 27 threads outside
- Includes install key. Non-stripping POM threaded inserts are removable to hide threads when installing with female connections
- Stylish flared body
- Patented pressure compensator provides consistent flow regardless of available water pressure
- Meets or exceeds ASME standards and California Energy Commission Certified and is compliant to California Health and Safety Code 116875 and Vermont Bill S.152 for low lead content.
- 10-year warranty

Product No.	Description	Case Qty.
N3601N	1.0 GPM Dual-Thread Needle Spray	240
N3601B	1.0 GPM Dual-Thread Bubble Spray	240
N3602N	1.5 GPM Dual-Thread Needle Spray	240
N3602B	1.5 GPM Dual-Thread Bubble Spray	240

N3622B



Lead-Free Aerators

- Aerator body constructed entirely of ABS poly, completely lead-free for safe drinking water
- Dual-thread system accommodating both male and female applications, with 15/16" x 27 threads inside and 55/64" x 27 threads outside
- Includes install key. Non-stripping POM threaded inserts are removable to hide threads when installing with female connections
- Patented pressure compensator provides consistent flow regardless of available water pressure
- Meets or exceeds ASME standards and California Energy Commission Certified and is compliant to California Health and Safety Code 116875 and Vermont Bill S.152 for low lead content.
- 10-year warranty

Product No.	Description	Case Qty.
N3622B	1.5 GPM Dual-Thread Bubble Spray	240

N3210FTP-PC-T



Tamperproof Aerators

Niagara's tamperproof high-efficiency aerators are ideal for use in hotels and other commercial applications. Additionally, these aerators come with locking keys that allow for tamperproof operation.

- Works well in kitchens and baths
- 5 keys included in each carton
- Housing constructed of solid, low-lead brass with high-polished chrome finish
- Patented pressure-compensating technology guarantees consistent flow of water regardless of available water pressure
- Conical-shaped pressure compensator design helps to filter debris and prevent calcification
- Meets or exceeds ASME standards
- 10-year warranty

N3210MTP-PC-T



Product No.	Description	Case Qty.
N3210NFTP-PC-T	Female Tamperproof Dual-Thread Aerator, Chrome 1.0 GPM	504
N3210NMTP-PC-T	Male Tamperproof Dual-Thread Aerator, Chrome 1.0 GPM	504
N3210BFTP-PC-T	Female Tamperproof Dual-Thread Aerator, Chrome 1.0 GPM	504
N3210BMTP-PC-T	Male Tamperproof Dual-Thread Aerator, Chrome 1.0 GPM	504
N3215NFTP-PC-T	Female Tamperproof Dual-Thread Aerator, Chrome 1.5 GPM	504
N3215NMTP-PC-T	Male Tamperproof Dual-Thread Aerator, Chrome 1.5 GPM	504
N3215BFTP-PC-T	Female Tamperproof Dual-Thread Aerator, Chrome 1.5 GPM	504
N3215BMTP-PC-T	Male Tamperproof Dual-Thread Aerator, Chrome 1.5 GPM	504



Aerators

N3210B-PC



Pressure-Compensated Sink Aerators

- Saves up to 77% more water and energy compared to 2.2 GPM aerators
- Patented pressure-compensating technology guarantees consistent flow of water regardless of available water pressure
- Solid-brass housing with polished chrome finish - no unplated brass components
- Dual-thread system accommodating both male and female applications, with 15/16" x 27 threads inside and 55/64" x 27 threads outside
- Conical-shaped pressure compensator design helps to filter debris and prevent calcification
- Meets or exceeds ASME standards
- 10-year warranty

Product No.	Description	Case Qty.
N3210B-PC-	1.5 GPM Dual-Thread Bubble Spray	500
N3210N-PC	1.0 GPM Dual-Thread Needle Spray	500
N3104-PC	1.5 GPM Dual-Thread Bubble Spray	500
N3215N-PC	1.5 GPM Dual-Thread Needle Spray	500

N3210B



Sink Aerators

- Saves up to 77% more water and energy compared to 2.2 GPM aerators
- Flow control construction of long-lasting Celcon plastic
- Dual-thread system accommodates both male and female applications
- Internally and externally threaded with 15/16" x 27 threads inside and 55/64" x 27 threads outside
- Solid-brass housing with polished chrome finish – no unplated brass components
- Meets or exceeds ASME standards and California Energy Commission Certified and is compliant to California Health and Safety Code 116875 and Vermont Bill S.152 for low lead content.
- 10-year warranty

Product No.	Description	Case Qty.
N3210-SAW	1.0 GPM Dual-Thread Bubble Spray	500
N3100-2.2	2.2 GPM Dual-Thread Bubble Spray	500
N3100T-2.2	2.2 GPM Dual-Thread Bubble Spray (packed in 6 pack tubes)	504

N2225RB



Ecologic™ Flapperless® 1.28 GPF Toilet

The EcoLogic™ Niagara Flapperless® toilet features revolutionary tip-bucket technology, creating a high-performance flush at 1.28 GPF. Niagara's patented flapperless technology is maintenance-free, eliminating the need to replace flappers, chains and levers. The tip-bucket technology creates a high performance flush at 1.28 GPF which substantially decreases water consumption. No double flushing, one flush will thoroughly empty the bowl every time. No leaks ever... plus a no-sweat tank. The huge 11" x 20" replacement footprint is designed to cover the existing cutout area with ease, eliminating costly flooring repairs and will fit both 10 5/8" - 12" rough-ins.

Other Ecologic™ Flapperless® Toilet features...


- 1.28 GPF high-efficiency patented Niagara Flush System
- Uses 60% less water than a common 3.5 gallon toilet
- Flapperless tank with Fluidmaster® fill valve
- EPA WaterSense certified
- Excellent MaP scores
- Opposable handle positioning
- Maintenance-free, leak-free, no double-flushing
- Sweat-free tank
- 10-Year limited lifetime warranty*

Product No.	Description
N2225E-B	Ecologic™ Flapperless® 1.28 GPF Elongated Bowl
N2225RB	Ecologic™ Flapperless® 1.28 GPF Round Bowl
N2225T	Ecologic™ Flapperless® 1.28 GPF Tanks

Gravity Flush with Tip-Bucket Technology



Potential Water Savings with Flapperless Toilet



Above estimates assume an average of 3 persons per household. Toilet is flushed 5 times per day per person.

Toilets

N7716



Stealth® 0.8 GPF Toilet

Niagara's innovative and stylish Stealth® Ultra-High-Efficiency Toilet goes a step beyond standard water-saving toilets with a 0.8 gallon per flush (GPF) flush rate. Stealth has truly revolutionized the toilet market with its low-profile body, breakthrough patented hydraulic technology and an extremely quiet flush. By harnessing the energy of water filling the tank, Stealth uses a patented air transfer system to pressurize the bowl's trapway. Once activated by pressing the flush button, the swift, powerful and quiet flush evacuates all waste in the bowl, using just 0.8 gallon (3 liters) of water. Offered in both round-front and elongated bowl models, and adaptable to fit a 12" rough-in installation, Stealth easily replaces existing toilets, lowering water usage and utility bills like no toilet ever has!

N7799




Other Stealth® Toilet features...

- Fully Glazed Trapway
- Smooth, low-friction surface ensures the bowl is cleared with each flush
- Compact Design
- Install and renovate with ease
- Sleek design and neutral aesthetics integrate with every bathroom style and preference
- Takes up less space, leaving more room for vanities, shelving or cabinets
- Stylish Flush Button
- Spring-loaded push button makes flushing effortless
- Inconspicuous and durable
- Flush button has polished chrome finish



Product No.	Description
N7716	Stealth® 0.8 GPF Toilet – Round Bowl
N7717	Stealth® 0.8 GPF Toilet – Elongated Bowl
N7714	Stealth® 0.8 GPF Toilet – Tank
N7799	Stealth® 0.8 GPF Toilet – Elongated Rear Outlet Bowl



Call 800.831.8383 to place your orders.



4200 Diplomacy Road
Fort Worth, TX 76155
Phone: 817.391.0800
Fax: 817.391.0801

www.NiagaraConservation.com



CONTAINS 30%
POST CONSUMER
WASTE

WC13-01

C o n s e r v a t i o n T h r o u g h I n n o v a t i o n