

Tamperproof Aerators

FEATURES AND BENEFITS

N3210, N3215



Male Thread Female Thread

Needle Spray Model

18 individual streams with the perfect amount of pressure

Bubble Spray Model

Air-induced providing a full stream while using less water



Constant Output Regardless of Pressure



Low Water Pressure



High Water Pressure

Finishes & Flow Rates

	1.0 GPM	1.5 GPM
Bubble	N3210BFTP-PC (Female)	N3215BFTP-PC (Female)
	N3210BMTP-PC (Male)	N3215BMTP-PC (Male)
Needle	N3210NFTP-PC (Female)	N3215NFTP-PC (Female)
	N3210NMTP-PC (Male)	N3215NMTP-PC (Male)

Patented Pressure Compensating Device

Water Savings Without Sacrificing Performance

- Tamperproof aerators for commercial applications. Ideal for hotels and commercial use
- Works well in kitchens and baths
- Five keys included in each wholesale carton, one in retail package
- Includes all parts necessary for proper installation and operation
- Housing constructed of solid, low-lead brass with high-polished chrome finish
- Patented flow compensator gives consistent flow rate across wide range of pressure
- Limited lifetime warranty**

POTENTIAL SAVINGS*

	Water (Gallons)	Electric (kWh)	Gas (therms)	Dollars
Water Savings	3,285			\$26
Energy Savings with Electric Water Heater		482		\$64
Energy Savings with Gas Water Heater			16	\$16

*Factors in calculating savings potential:

- 3-person households each using a bathroom faucet 2.5 minutes per day, 365 days per year
- Comparing water use with this 1.0 GPM aerator vs. a standard 2.2 GPM unit
- Water and sewer cost of \$8 per 1,000 gallons
- 8.34 BTUs to raise the temperature of 1 gallon 1°
- 500.4 BTUs to raise the temperature of 1 gallon 60° (i.e. 50° to 110° F)
- 1 million BTUs = 293 kWh
- Average cost of electricity \$0.133 per kWh (Bureau of Labor Statistics Sept 2012)
- Average cost of gas \$0.953 per therm (Bureau of Labor Statistics Sept 2012)

Corporate HQ

4200 Diplomacy Road
Fort Worth, TX 76155 USA
Toll Free: 800.831.8383
Phone: 817.391.0800 Fax: 817.391.0801
Email: info@nccgreen.com

© 2013 Niagara Conservation MSS3210-3215MTP-03




For more information please visit: www.NiagaraConservation.com

Tamperproof Aerators

SPECIFICATIONS

N3210, N3215




*Dimensions are subject to change

Overall Dimensions	Male : Diameter 1.1" Length 0.6" Female: Diameter 1.1" Length 0.7"
Materials	High Polished chrome-plated brass
Threads	Inlet Size: Male - 15/16" x 27 threads Female - 55/64" x 27 threads
Certifications	Meets or exceeds: ASME A112.18.1 / CSA B125.1; ANSI/NSF 61 WaterSense labeled - Max. Flow Rate: 1.5 GPM




Consistent Flow Rate Across Wide Range of Pressure

1.0 GPM Flow Rate



— 1.0 Pressure Compensated Spray - - - Non-Pressure Compensated Spray

1.5 GPM Flow Rate



— 1.5 Pressure Compensated Spray - - - Non-Pressure Compensated Spray

**WARRANTY FOR AERATORS PURCHASED AT RETAIL:

Limited Lifetime Warranty for aerators purchased at retail for as long as the original purchaser owns the product. Niagara will replace any part that, in our opinion has proved defective, provided it has not been abused, misused, altered or damaged after its purchase.

For complete product warranty details, call Niagara Conservation at 1-800-831-8383.

WARRANTY FOR AERATORS OBTAINED THROUGH WHOLESALE, MUNICIPALITIES, UTILITIES OR OTHER COMMERCIAL CHANNELS:

10-year Limited Warranty to the purchaser from the date of purchase. Niagara will replace any part that, in our opinion has proved defective, provided it has not been abused, misused, altered or damaged after its purchase.

For complete product warranty details, call Niagara Conservation at 1-800-831-8383.

Corporate HQ

4200 Diplomacy Road
Fort Worth, TX 76155 USA
Toll Free: 800.831.8383
Phone: 817.391.0800 Fax: 817.391.0801
Email: info@nccgreen.com

© 2013 Niagara Conservation MSS3210-3215MTP-03



For more information please visit: www.NiagaraConservation.com

Tamperproof Aerators

PACKAGING

N3210, N3215

Retail Packaging:

Blistercard Display Packaging



Inner Pack



Six Pack



RETAIL PACKAGING

Item No	RN3215BFTP-PC, RN3215BMTP-PC, RN3215BFTP-PC-6PK, RN3215MTP-PC-6PK
UPC Code	RN3215BFTP-PC 732291000697 1.0 GPM Bubble RN3215BMTP-PC 732291000680 1.0 GPM Bubble RN3215BFTP-PC-6PK 732291000611 1.5 GPM Bubble RN3215BMTP-PC-6PK 732291000604 1.5 GPM Bubble
Type of Packaging	Blistercard Display Packaging
Pack Quantities	6 Per Inner Pack, 24 Per Master Carton
Dimensions Ea. Pkg.	Width 2.625" Height 6.0" Depth 1.25"
Dimensions Inner Pack	Width 4.25" Height 3.0" Depth 6.375"
Weight of Inner Pack	0.4 lbs
I205	RN3215BFTP-PC 20732291000691 1.0 GPM Bubble RN3215BMTP-PC 20732291000684 1.0 GPM Bubble RN3215BFTP-PC-6PK 20732291000615 1.5 GPM Bubble RN3215BMTP-PC-6PK 20732291000608 1.5 GPM Bubble
Dimensions of Master	Width 12.5" Height 5.0" Depth 6.875"
Weight of Master	2.2 lbs

Bulk Packaging:

6 Pack Plastic Tube



BULK PACKAGING

Item No	N3210BFTP-PC-T, N3210BMTP-PC-T, N3210NFTP-PC-T, N3210NMTP-PC-T, N3215BFTP-PC-T, N3215BMTP-PC-T, N3215NFTP-PC-T, N3215NMTP-PC-T,
Type of Packaging	Kraft Corrugated
Pack Quantities	500
Dimensions of Master	Width 5.5" Height 16.125" Depth 6.875"
Weight of Master	24.2 lbs

Corporate HQ

4200 Diplomacy Road
Fort Worth, TX 76155 USA
Toll Free: 800.831.8383
Phone: 817.391.0800 Fax: 817.391.0801
Email: info@nccgreen.com

© 2013 Niagara Conservation MSS3210-3215MTP-03



For more information please visit: www.NiagaraConservation.com