Stealth® Rear Outlet Toilet

FEATURES AND BENEFITS

N7714, N7799

The Revolutionary Toilet that Saves More Water than any Other on the Market



Stealth Vacuum-Assist Power Chamber Inside




Stealth Toilet

Most Water-Efficient Toilet on the Market

- Quiet, powerful flush delivered with a patented Stealth flush chamber and air transfer system
- Ideal solution for in wall plumbing
- Uses just 0.8 gallons per flush (0.8 GPF)
- Two piece toilet
- One flush thoroughly evacuates the bowl every time
- Smooth, low friction ceramic surface helps achieve a cleared bowl every time
- Stylish, inconspicuous and durable flush button
- Meets EPA criteria for WaterSense label
- Meets ADA requirements for bowl height
- Fully glazed 2" trapway for enhanced flush performance
- Limited Lifetime Warranty*

STEALTH FLUSH TECHNOLOGY



FILLING

- 1. Water fills the tank and inner chamber, forcing air to the top of the chamber and down the transfer tube.
- Air is forced through the transfer tube into the trapway exerting positive pressure on the water in the bowl. This pressurizes the trapway and creates a larger water surface area in the bowl.
- Surface area in the bow
- AIR WATER

FLUSHING

- 1. Flush button is depressed
- 2. Inside the inner chamber, the vacating flush water creates a vacuum that depressurizes the trapway.
- 4. Water empties from the tank cleansing the bowl and flushing waste down the trapway.
- 5. The trapway is completely filled producing an ultra highly efficient flush.

Corporate HQ

4200 Diplomacy Road Fort Worth, TX 76155 USA Toll Free: 800.831.8383

Phone: 817.391.0800 Fax: 817.391.0801

Email: info@nccgreen.com

© 2013 Niagara Conservation

MSS7799-05





For more information please visit: www.NiagaraConservation.com

Stealth® Rear Outlet Toilet


SPECIFICATIONS

N7714, N7799





Overall Dimensions	Elongated - 17" high bowl
Footprint	24.625" x 10.25", Water Area 8" x6"
Assembled Dimensions	Width 18.75" Height 31" Depth 30"
Rough In	4.0"
Materials	Vitreous China – White Finish Polished chrome top-mount flush actuator
Certifications	Meets or exceeds the following: ASME A112.19.2 /CSA B45.1
МаР	500g



**Annual water savings for Stealth based on a comparison to a 3.5 GPF toilet, 3-person household, 5 flushes per person/per day.

*** 2.76 GPF represents the average flush volume of a toilet in the United States

*LIMITED LIFETIME WARRANTY on vitreous china products. Toilet tank trim: fill valve and flush valve assembly and plumbing fittings are warrantied for a period of ten years to the purchaser from the date of purchase. For complete warranty details, call Niagara Conservation at 1-800-831-8383.

Corporate HQ

4200 Diplomacy Road Fort Worth, TX 76155 USA Toll Free: 800.831.8383

Phone: 817.391.0800 Fax: 817.391.0801

Email: info@nccgreen.com

© 2013 Niagara Conservation MSS7799-05



Stealth® Rear Outlet Toilet

PACKAGING

N7714, N7799

N7714 Packaging:

Kraft Corrugated



N7714 BULK PACKAGING (TANK)

Item No	N7714
UPC Code	732291771429
Type of Packaging	Kraft Corrugated
Pack Quantities	One Per Carton
Dimensions Ea. Pkg.	Width 9.5" Height 16" Depth 19"
Weight Ea. Pkg.	37 lbs

N7799 Packaging:

Kraft Corrugated



N7799 BULK PACKAGING (ELONGATED BOWL)

Item No	N7799
UPC Code	732291000093
Type of Packaging	Kraft Corrugated
Pack Quantities	One Per Carton
Dimensions Ea. Pkg.	Width 16.75" Height 18.75" Depth 30"
Weight Ea. Pkg.	40 lbs

Corporate HQ

4200 Diplomacy Road Fort Worth, TX 76155 USA Toll Free: 800.831.8383

Phone: 817.391.0800 Fax: 817.391.0801

MSS7799-05

Email: info@nccgreen.com

© 2013 Niagara Conservation

